



**Safety-Box  
universal**



**Coupling head**



**Jockey wheel  
automatic**



**Special Sale**

**Spares for car trailers**

## Spare parts for passenger car trailers

Meeting quality. Spare parts supplied with brake lining undergo certified processes in manufacturing according to ISO 9001:2008 standard, just like the lined brake shoes you find on last page.



**Ball coupling head for trailer unbraked**

**50 mm**

**T10009**

Drawbar: 50mm  
 Slots: from above - 2 hole  
 Permitted total weight: 750kg  
 Steel plate, plug holder incl.  
 Cross-Ref.: 242982

matching:  
 AK750/A  
 AKF-W7,5N3

excl. VAT

**Ball coupling head unbraked (square tube)**

**40 mm**

**T10004**

Drawbar: 40mm, square  
 Slots: sideways - 2 hole  
 Permitted total weight: 750kg  
 Steel plate, plug holder incl.  
 Cross-Ref.: 203269

matching:  
 AK7/I

excl. VAT

**Ball coupling head unbraked (round tube)**

**50 mm**

**T11763**

Drawbar: 50mm, round  
 Slots: from above - 3 hole  
 Permitted total weight: 1200kg  
 Steel plate, plug holder incl.  
 Cross-Ref.:  
 203256, 6E0083.023

matching:  
 AK7/F  
 K7,5-C  
 EM80R/E

excl. VAT


**60 mm**

**T10929**

Drawbar: 60mm, square  
 Slots: from above - 2 hole  
 Slots: sideways - 2 hole  
 Permitted total weight: 750kg  
 Steel plate, plug holder incl.

matching:  
 WW-N80-G

excl. VAT


**45 mm**

**T10005**

Drawbar: 45mm, square  
 Slots: sideways - 2 hole  
 Permitted total weight: 750kg  
 Steel plate, plug holder incl.  
 Cross-Ref.: 203257

matching:  
 AK7/G  
 EM80V/K

excl. VAT


**60 mm**

**T10001**

Drawbar: 60mm, round  
 Slots: from above - 2 hole  
 Permitted total weight: 750kg  
 Steel plate, plug holder incl.  
 Cross-Ref.:  
 203252, 6E0083.029

matching:  
 AK7/B  
 K7,5-D  
 EM80R/F

excl. VAT


**50 mm**

**T10006**

Drawbar: 50mm, square  
 Slots: sideways - 2 hole  
 Permitted total weight: 750kg  
 Steel plate, plug holder incl.  
 Cross-Ref.:  
 203254, 6E0081.045

matching:  
 AK7/D  
 K7,5-C  
 EM80V/E

excl. VAT


**60 mm**

**T11930 (reinforced)**

Drawbar: 60mm, round  
 Slots: from above - 3 hole  
 Permitted total weight: 1200kg  
 Steel plate, plug holder incl.  
 Cross-Ref.:  
 203202, 8802479X

matching:  
 AK10/2B  
 K14-B

excl. VAT


**60 mm**

**T10007**

Drawbar: 60mm, square  
 Slots: sideways - 2 hole  
 Permitted total weight: 750kg  
 Steel plate, plug holder incl.  
 Cross-Ref.:  
 203255, 6E0081.053

matching:  
 AK7/E  
 K7,5-D  
 EM80V/F

excl. VAT


**70 mm**

**T10002**

Drawbar: 70mm, round  
 Slots: from above - 2 hole  
 Permitted total weight: 750kg  
 Steel plate, plug holder incl.  
 Cross-Ref.:  
 203253, 6E0083.033

matching:  
 AK7/C  
 K7,5-E  
 EM80R/G

excl. VAT


**70 mm**

**T10024**

Drawbar: 70mm, square  
 Slots: sideways - 2 hole  
 Permitted total weight: 750kg  
 Steel plate, plug holder incl.  
 Cross-Ref.:  
 203270, 6E0081.061

matching:  
 AK7/H  
 K7,5-E  
 EM80V/G  
 WW-N100-H

excl. VAT


**70 mm**

**T10003 (reinforced)**

Drawbar: 70mm, round  
 Permitted total weight: 1200kg  
 Steel plate, plug holder incl.  
 Cross-Ref.:  
 203203, 8802449X

matching:  
 AK10/2C  
 K14-C  
 EM150R/G

excl. VAT

**Ball coupling head set for trailer braked****35/45/50 mm****T10012**

Drawbar: 35/45/50mm  
 Set with screws, plug holder matching:  
 Permitted total weight: 2000kg AK160/B  
 Steel plate, round tube  
 Cross-Ref.: 1222737

excl. VAT

**Ball coupling head set braked (round / cast)****35/... /50 mm****T10013 (cast)**

Drawbar: 35/40/45/50mm  
 Set with screws, plug holder matching:  
 Permitted total weight: 3000kg AK300/A , AK301  
 Cross-Ref.: K27-A , K27-B  
 246960, 1223715, 1221746 EM300R-A  
 8802409X, 8802419X EM300R-B

excl. VAT

**Accessory Insert Lock with 2 keys****T10050**

Security lock fits into offered  
 couplings with integrated keyhole  
 Cross-Ref.: 203216

excl. VAT

**Ball coupling head braked (round tube)****35 mm****T10010**

Drawbar: 35mm, round matching:  
 Slots: cross and sideways AK160/A  
 Permitted total weight: 1700kg KK14-C  
 Steel plate, plug holder incl.  
 Cross-Ref.:  
 267311, 8802469X

excl. VAT

**Ball coupling head braked (round / cast)****50 mm****T10030 (cast)**

Drawbar: 50 mm, round matching:  
 Slots: cross and sideways AK300/A , AK301  
 Permitted total weight: 3000kg K27-A  
 Cast, plug holder incl. EM300R-B  
 Cross-Ref.:  
 267312, 1221746, 8802409X

excl. VAT

**Accessory Soft Dock****T11931**

Protective Soft Dock fitting onto  
 offered couplings, blue-colored

excl. VAT

**50 mm****T10011**

Drawbar: 50mm, round matching:  
 Slots: cross and sideways AK160/B  
 Permitted total weight: 2000kg K20-A  
 Steel plate, plug holder incl. EM150R-B  
 Cross-Ref.:  
 267312, 8802389X

excl. VAT

**T12787**

Wheel chocks with carrier,  
 Safety-Ball and towball cap  
 Width: 90 mm

excl. VAT

**T10062**

Safety-Box universal  
 suits all couplings  
 incl. padlock

excl. VAT

**DEKRA**

The articles concerning ball coupling heads are tested and certified according to European norms by Dekra test laboratory.

**Quality and security**

### Coupling damper



### Coupling damper for overrun devices

| Order No. | Cross-Ref. | Type                               | Total length | Manufacturing   | Price |
|-----------|------------|------------------------------------|--------------|-----------------|-------|
| T11627    | 370556     | 161 S (ab Bj. 93)                  | 505 mm       | made in Germany |       |
| T11625    | 353936     | 161 S (bis Bj. 92)                 | 325 mm       | made in Germany |       |
| T11628    | 370589     | 251 S (ab Bj. 93)                  | 505 mm       | made in Germany |       |
| T11626    | 355338     | 251 S (bis Bj. 92)                 | 325 mm       | made in Germany |       |
| T11619    | 359987     | 101VB, 90S,<br>90S-1, 90S-2, 90S-3 | 445 mm       | made in Germany |       |
| T11623    | 20775504   | 1,3VB<br>120SR (A-frame)           | 340 mm       | made in Germany |       |
| T11624    | 20777304   | 2,0VB<br>200SR (A-frame)           | 340 mm       | made in Germany |       |
| T11629    | 21726604   | 2,8VB                              | 610 mm       | made in Germany |       |


### Coupling damper



### Coupling damper for overrun devices

| Order No. | Cross-Ref. | Type                      | Total length | Manufacturing | Price |
|-----------|------------|---------------------------|--------------|---------------|-------|
| T11632    | 87000713   | KF13                      | 510 mm       | Original      |       |
| T11633    | 87001113   | KF17<br>KF20 vers.A Ø27mm | 550 mm       | Original      |       |
| T11634    | 87001173   | KF20 vers.C Ø24mm         | 510 mm       | Own brand     |       |
| T11635    | 87003913   | KF27                      | 550 mm       | Original      |       |
| T11636    | 87001413   | KF30                      | 665 mm       | Original      |       |

### Coupling damper



### Coupling damper for overrun devices

| Order No. | Cross-Ref. | Type                | Total length | Manufacturing   | Price |
|-----------|------------|---------------------|--------------|-----------------|-------|
| T11639    | 16.15.018  | PAV SR 1,3 vers. M  | 240 mm       | made in Germany |       |
| T11640    | 16.15.015  | PAV SR 1,3 vers. MX | 330 mm       | made in Germany |       |
| T11641    | 16.15.020  | PAV SR 2,0 vers. M  | 240 mm       | made in Germany |       |
| T11642    | 16.15.012  | PAV SR 2,0 vers. MX | 330 mm       | made in Germany |       |
| T11643    | 16.15.014  | PAV SR 2,7 vers. M  | 240 mm       | made in Germany |       |
| T11644    | 16.15.013  | PAV SR 2,7 vers. MX | 330 mm       | made in Germany |       |
|           |            |                     |              |                 |       |
|           |            |                     |              |                 |       |
|           |            |                     |              |                 |       |
|           |            |                     |              |                 |       |

### Bellow covering screw connection



### Bellow



### Bellow covering screw connection



**T11740**  
3Folding, screw covering  
Mounting 55/60, Length 120mm  
Fits into type: 161S, 251S  
made in Germany  
Cross-Ref.: 366356

**T11730**  
4Folding  
Mounting 28/40, Length 120mm  
Fits into type: 101 VB  
made in Germany  
Cross-Ref.: 2073890210

**T11739**  
3Folding, screw covering  
Mounting 50/60, Length 140mm  
Fits into type: KF, KR, Grau, Grümer  
made in Germany  
Cross-Ref.: 69004692

**Bowden cables in various length**

| Order No. | Cross-Ref. | Total length / Sheath length | Price |
|-----------|------------|------------------------------|-------|
| T11348    | 299708     | 740 / 530                    |       |
| T11349    | 299709     | 980 / 770                    |       |
| T11350    | 299710     | 1100 / 890                   |       |
| T11351    | 299711     | 1230 / 1020                  |       |
| T11352    | 299712     | 1340 / 1130                  |       |
| T11353    | 299713     | 1540 / 1320                  |       |
| T11354    | 299714     | 1640 / 1430                  |       |
| T11355    | 299715     | 1830 / 1620                  |       |
| T11843    | 2088890005 | Conical nut                  |       |

**with Bell end fitting**

**Bowden cables in various length**

| Order No. | Cross-Ref. | Total length / Sheath length | Price |
|-----------|------------|------------------------------|-------|
| T11357    | 247281     | 546 / 350                    |       |
| T11358    | 247282     | 726 / 520                    |       |
| T11359    | 247283     | 966 / 770                    |       |
| T11360    | 247284     | 1086 / 890                   |       |
| T11361    | 247285     | 1216 / 1020                  |       |
| T11362    | 247286     | 1326 / 1130                  |       |
| T11363    | 247287     | 1516 / 1320                  |       |
| T11364    | 247288     | 1626 / 1430                  |       |
| T11365    | 247289     | 1816 / 1620                  |       |

**with Bell and Nipple end fitting**

**Bowden cables in various length**

| Order No. | Cross-Ref. | Total length / Sheath length | Price |
|-----------|------------|------------------------------|-------|
| T11394    | 33921-1.02 | 740 / 530                    |       |
| T11395    | 33921-1.04 | 840 / 630                    |       |
| T11396    | 33921-1.06 | 940 / 730                    |       |
| T11397    | 33921-1.07 | 1040 / 830                   |       |
| T11398    | 33921-1.09 | 1140 / 930                   |       |
| T11399    | 33921-1.11 | 1240 / 1030                  |       |
| T11400    | 33921-1.13 | 1340 / 1130                  |       |
| T11401    | 33921-1.14 | 1440 / 1230                  |       |
| T11402    | 33921-1.15 | 1540 / 1330                  |       |
| T11403    | 33921.1-16 | 1640 / 1430                  |       |
| T11404    | 33921.1-17 | 1740 / 1530                  |       |

**with Bell end fitting 22 mm**

**Bellow**

A black, 5-folded bellow component. A small black box with a white Euro symbol (€) and the text "excl. VAT" is positioned to the right of the bellow.

**T11747**  
 5Folding  
 Mounting 60/69, Length 170mm  
 Fits into type: KF, KR, Grau, Grümer  
 made in Germany  
 Cross-Ref.: 69000393

**Bellow**

A black, 6-folded bellow component. A small black box with a white Euro symbol (€) and the text "excl. VAT" is positioned to the right of the bellow.

**T11746**  
 6Folding  
 Mounting 60/60, Length 170mm  
 Fits into type: 2,8 VB  
 made in Germany  
 Cross-Ref.: 21726605

**Bellow**

A black, 2-folded bellow component with two holes. A small black box with a white Euro symbol (€) and the text "excl. VAT" is positioned to the right of the bellow.

**T11743**  
 2Folding, 2hole  
 Mounting 45/70, Length 100mm  
 Fits into type: PAV SR1,3/ SR2,0/ SR2,7 versionM  
 made in Germany  
 Cross-Ref.: 0313008200

**Jockey wheel, clamp, winch, cable****T10406**

Jockey wheel, wheel: 200x50  
TubeØ: 48mm, nose weight: 150kg  
Solid rubber tyre with steel centre

**T10407 Clamp**  
Clamp

**Price: 2,25 €**

**Jockey wheel, clamp, wheel shock absorber****T10413**

Jockey wheel, wheel: 200x50  
TubeØ: 60mm, load weight: 500kg  
Solid rubber tyre with steel centre

**T10414**

Clamp  
suitable for jockey wheel T10413  
suitable for prop stand T10436

**Jockey wheel, mudguard, overrun device****T10415**

Jockey wheel, wheel: 200x50  
Automatic / flange weld-on  
TubeØ: 60mm, load weight: 500kg  
Solid rubber tyre with steel centre

**T10479 (Single-Axle)**

Mudguard, steel plate, galvanised, zinc-coated  
Wheel: 13" (Profil 12/40)  
Width: 200mm, Height: 360mm  
Length: 710mm

**T10379**

Winch with automatic unwinding  
Load: 900kg, for car transporter  
Cross-Ref.: 244897

**T10414**

Clamp  
suitable for jockey wheel T10413  
suitable for prop stand T10436

**T10479 (Single-Axle)**

Mudguard, steel plate, galvanised, zinc-coated  
Wheel: 13" (Profil 12/40)  
Width: 200mm, Height: 360mm  
Length: 710mm

**T10380**


Cable, length 8m  
suits winch T10379  
Cross-Ref.: 267467

**T10436**

Prop stand 200kg  
TubeØ: 48mm, load weight: 200kg  
Length: 715mm

**T10485 (Single-Axle)**

Steel plate galvanised and zinc-coated  
Wheel: 14" (Profil 12/40)  
Width: 220mm, Height: 400mm  
Length: 810mm

**T11549**

Breakaway Cable universal  
Length: 1000mm  
Cross-Ref.: 68605

**T10352**

Shock absorber, screw 12  
Contracting / extending: 255/390mm  
Load for 1-axle 1500kg / for tandem 3000kg  
Cross-Ref.: 282259

**T10514 (Tandem-Axle)**

Steel plate galvanised and zinc-coated  
Wheel: 13/14" (Profil 12/40)  
Width: 235mm, Height: 370mm  
Length: 1590mm

**T11551**

Breakaway Cable universal  
Length: 1600mm  
Cross-Ref.: 209534

**T11928**

Kit shock absorber for 1-axle T10352  
Shock absorber holder with screws  
2 mounting brackets, 2 weld-on hanger

**T10127**

Alko Type 251 S  
Overrun device  
Montage on top, load weight: 1500-2600kg  
Nose load: 100kg (A-frame chassis)

**Brake drum****T11210**

Brake type: 2050 / 2051  
 Brake: 200x50 / 5hole wheel connection  
 Bearing pair: KLM67048 / KLM11949  
 Cross-Ref.: 357708

**Kit Compact bearing, hub cap****T11243**

Kit Compact bearing  
 Ball bearing, hub nut, locking ring  
 Dimension: 34/64 - 37  
 Cross-Ref.: 47305V

**Kit Angular contact bearing****T11246**

Angular contact bearing kit  
 Tapered roller bearings and sealing ring  
 Bearing type: KLM11749 / KLM45449  
 Cross-Ref.: 299056

**T11212**

Brake type: 2051  
 Brake: 200x50 / 5hole wheel connection  
 Bearing pair: compact 39/72 - 37  
 Cross-Ref.: 573193

**T11244**

Kit Compact bearing  
 Ball bearing, hub nut, locking ring  
 Dimension: 39/72 - 37  
 Cross-Ref.: 47306V

**T11247**


Angular contact bearing kit  
 Tapered roller bearings and sealing ring  
 Bearing type: KLM11949 / KLM67048  
 Cross-Ref.: 258312

**T11215**

Brake type: 2051  
 Brake: 200x50 / 5hole wheel connection  
 Bearing pair: compact 34/64-37  
 Cross-Ref.: 623113

**T11245**

Kit Compact bearing  
 Ball bearing, hub nut, locking ring  
 Dimension: 42/80 - 42

**T11248**

Angular contact bearing kit  
 Tapered roller bearings and sealing ring  
 Bearing type: 30204 / 30206

**T11223**

Brake type: 20-2425/1  
 Brake: 200x50 / 5hole wheel connection  
 Bearing pair: 30205 / 30206  
 Cross-Ref.: 21225-1C02

**T11294**

Hub nut with thread M24x1,5  
 Torque wrench SW: 32  
 Tightening torque: 280 Nm  
 Cross-Ref.: 581200

**T11225**

Brake type: 20-2425/2  
 Brake: 200x50 / 5hole wheel connection  
 Bearing pair: compact 34/64-37  
 Cross-Ref.: 28745C02



- T11308** Ø 48,0mm Hub cap
- T11309** Ø 50,5mm Hub cap
- T11310** Ø 52,0mm Hub cap
- T11312** Ø 55,0mm Hub cap
- T11315** Ø 64,0mm Hub cap

**NB PARTS catalogue Car trailer**

Comprehensive range of trailer spare parts:  
 wheel brakes, coupling assembly, overrun devices,  
 axles, coupling dampers, gas springs, electric  
 supply and accessories

**Brake shoes - Axle Set (springs incl.)****T11171 (own brand)**

Dimension: 160x35

Type: Wheel brake 1635, 1636, 1637

Cross-Ref.: 1213888

**Brake shoes - Axle Set (springs incl.)****T11173 (own brand)**

Dimension: 200x50

Type: Wheel brake 2050, 2051

Cross-Ref.: 1213889

**T11172 (own brand)**

Dimension: 200x35, Type: Wheel brake 2035

Cross-Ref.: 1220328

**Brake shoes - Axle Set (springs incl.)****T11175 (own brand)**

Dimension: 230x60

Type: Wheel brake 2360, 2361

Cross-Ref.: 1213890

**Brake shoes - Axle Set (springs incl.)****T11184 (own brand)**

Dimension: 160x35

Type: Wheel brake 16-1365

Cross-Ref.: 402611.001

**Brake shoes - Axle Set (springs incl.)****T11185 (own brand)**

Dimension: 200x30

Type: Wheel brake 20-963/1

Cross-Ref.: 403132.001

**Brake shoes - Axle Set (springs incl.)****T11187 (own brand)**

Dimension: 200x50

Type: Wheel brake 20-2425/1

Cross-Ref.: 47276

**Brake shoes - Axle Set (springs incl.)****T11188 (own brand)**

Dimension: 250x40

Type: Wheel brake 25-2025

Cross-Ref.: 402.677.001

**Brake shoes - Axle Set (springs incl.)****T11193 (own brand)**

Dimension: 200x50

Type: Wheel brake S 2005-7 RASK

Cross-Ref.: 980103790

**Brake shoes - Axle Set (springs incl.)****T11197 (own brand)**

Dimension: 230x40

Type: Wheel brake R234-76

Cross-Ref.: 0980103760

Misprint, errors and subject to change without notice excepted. Edition: 09/2011

NB PARTS GmbH do not grant full accuracy in product description and arrangement of the information. The listed trailer spare parts are Original, Ident &amp; Compatible parts in first party trademark quality.

The original spare part-numbers (OEM) in this catalogue serve only to comparing purposes. Distribution: NB PARTS GmbH, Höchstader Str. 34, D-91325 Adelsdorf, Germany, Tel. +49 9195 92 19 50, Fax +49 9195 92 19 520  
www.nb-parts.de, info@nb-parts.de

Delivery based on General Sales Conditions of Trade GSC, dated 01.01.2008, Register number: HRB 6248, Register court: Bamberg District Court, VAT reg. no.: DE 263 015 356